


光刻胶用化学品

Chemicals for Photoresist

光刻胶是光刻工艺的关键材料，主要应用于半导体、LCD 和 PCB 三大行业。

在光刻工艺中，光刻胶被涂抹在衬底上，光照或辐射在衬底形成特定的图形，衬底可以为集成电路板、显示面板（LCD）和印刷电路板（PCB）。



光刻胶由感光树脂（聚合剂）、增感剂（光引发剂）、溶剂与助剂构成，迈瑞尔提供光致产酸剂、光刻胶用单体等上游原材料，有进口和国产两大货源，可用于光刻胶的研发生产。

货号	产品名称	CAS 号	纯度	品牌
光引发剂				
M29515	四乙基米氏酮	90-93-7	98%	Meryer
	4,4'-Bis(diethylamino)benzophenone			
M76450	四乙基米氏酮	90-93-7	99%	Meryer
	4, 4'-Bis(diethylamino)benzophenone			
M56414	2,4-二乙基-9H-硫杂蒽-9-酮，98%	82799-44-8	98 %	Meryer
	2,4-Diethyl-9H-thioxanthen-9-one, 98%			
M54856	2-苄基-2-二甲基氨基-4'-吗啉基苯丁酮，97.5%	119313-12-1	97%	Meryer
	2-Benzyl-2-(dimethylamino)-4'-morpholinobutyrophenone, 97.5%			
M29524	4,4'-二氯二苯甲酮，99%	90-98-2	98%	Meryer
	4,4'-Dichlorobenzophenone, 99%			

M37290	2,2-二乙氧基苯乙酮 , 97%	6175-45-7	95%	Meryer
	2,2-Diethoxyacetophenone, 97%			
M30544	苯乙酮 , 98%	98-86-2	99%	Meryer
	Acetophenone, 98%			
M03259	二苯甲酮 , 99%	119-61-9	99%	Meryer
	Benzophenone, 99%			
M29517	4,4'-双(二甲氨基)二苯甲酮 , 98%	90-94-8	98%	Meryer
	4,4'-Bis(dimethylamino)benzophenone, 98%			
M40038	1-苯基-1,2-丙二酮-2-肟 , 99%	119-51-7	98%	Meryer
	1-Phenyl-1,2-propanedione-2-oxime, 99%			
M20185	安息香乙醚 , 99%	574-09-4	97%	Meryer
	Benzoin ethyl ether, 99%			
M30020	1-羟基环己基苯基甲酮 , 99%	947-19-3	98%	Meryer
	1-Hydroxycyclohexyl phenyl ketone, 99%			
M39743	4-苯甲酰基苯甲酸 , 99%	611-95-0	98%	Meryer
	4-Benzoylbenzoic acid, 99%			
M21175	2-苯甲酰基苯甲酸甲酯 , 99%	606-28-0	98%	Meryer
	Methyl 2-benzoylbenzoate, 99%			
M03250	安息香 , 98%	119-53-9	98%	Meryer
	Benzoin, 98%			
M24309	2-甲基-4'-(甲硫基)-2-吗啉基苯丙酮 , 99%	71868-10-5	98%	Meryer
	2-Methyl-4'-(methylthio)-2-morpholinopropiophenone, 99%			
M11768	2,2-二甲氧基-2-苯基苯乙酮 , 99%	24650-42-8	99%	Meryer
	2,2-Dimethoxy-2-phenylacetophenone, 99%			
M25633	(2,4,6-三甲基苯甲酰基)二苯基氧化膦 , 99%	75980-60-8	97%	Meryer
	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide, 99%			
M30544	乙酰苯 , 99%	98-86-2	99%	Meryer
	Acetophenone			
M37381	2-羟基-4'-(2-羟基乙氧基)-2-甲基苯丙酮 , 97%	106797-53-9	98%	Meryer
	2-Hydroxy-4'-(2-hydroxyethoxy)-2-methylpropioiphenone			
M30544	苯乙酮 , ≥98%	98-86-2	99%	Meryer
	Acetophenone			
M25633	二苯基(2,4,6-三甲基苯甲酰基)氧化膦 , ≥98%	75980-60-8	97%	Meryer
	Diphenyl(2,4,6-trimethylbenzoyl)phosphine Oxide			
TCI-B0139	4,4'-双(二乙氨基)二苯甲酮	90-93-7	98.0%	TCI
	4,4'-Bis(diethylamino)benzophenone			
TCI-B1275	4,4'-双(二乙氨基)二苯甲酮	90-93-7	92.0%	TCI
	4,4'-Bis(diethylamino)benzophenone			

光刻胶溶剂

M01644	1-甲氧基-2-丙醇	107-98-2	99.5%	Meryer
	1-Methoxy-2-propanol			
M01784	丙二醇甲醚醋酸酯	108-65-6	99%,含 50ppm BHT 稳定剂	Meryer
	Propylene glycol monomethyl ether acetate			
M01810	二异丁基酮	108-83-8	异构体混合物,97%	Meryer
	2,6-Dimethyl-4-heptanone			
M10505	α -羟基异丁酸甲酯	2110-78-3	98%	Meryer
	Methyl 2-Hydroxyisobutyrate			
M56417	二丙二醇甲醚醋酸酯, 异构体混合物	88917-22-0	98 %	Meryer
	Di(propylene glycol) methyl ether acetate, mixture of isomers			
TCI-D0733	2,6-二甲基-4-庚酮	108-83-8	90.0%	TCI
	2,6-Dimethyl-4-heptanone			
TCI-H0256	2-羟基异丁酸甲酯	2110-78-3	99.5%	TCI
	Methyl 2-Hydroxyisobutyrate			
TCI-M0126	1-甲氧基-2-丙醇	107-98-2	98.0%	TCI
	1-Methoxy-2-propanol			
TCI-P1171	丙二醇-1-单甲醚-2-乙酸酯	108-65-6	98.0%	TCI
	Propylene Glycol 1-Monomethyl Ether 2-Acetate			

光致产酸剂

M56421	氯代二苯碘鎓	1483-72-3	98 %	Meryer
	Diphenyliodonium chloride			
M57258	4-重氮-3-甲氧基二苯胺硫酸盐	36305-05-2	96%	Meryer
	4-Diazo-3-methoxydiphenylamine Sulfate			
M58311	A,A'-三(4-羟基苯基)-1-乙基-4-异丙苯	110726-28-8	98%	Meryer
	4,4'-(1-(4-(2-(4-Hydroxyphenyl)propan-2-yl)phenyl)ethane-1,1-diyl)diphenol			
M59341	2-(4-甲氧基苯乙烯基)-4,6-双(三氯甲基)-1,3,5-三嗪	42573-57-9	98%(HPLC)(N)	Meryer
	2-(4-Methoxystyryl)-4,6-bis(trichloromethyl)-1,3,5-triazine			
M59459	2-(4-甲氧苯基)-4,6-双(三氯甲基)-1,3,5-三嗪	3584-23-4	98%(GC)	Meryer
	2-(4-Methoxyphenyl)-4,6-bis(trichloromethyl)-1,3,5-triazine			
M65153	N-(三氟甲基磺酸基)-1, 8-萘二甲酰亚胺	85342-62-7	97%	Meryer
	1, 3-Dioxo-1H-benzo[de]isoquinolin-2(3H)-yl trifluoromethanesulfonate			
M68700	2, 3, 4-三羟基二苯甲酮	1143-72-2	99%	Meryer
	Phenyl(2, 3, 4-trihydroxyphenyl)methanone			

M70227	二苯基-(4-苯基硫)苯基铈六氟锑酸盐(CAT6992)	71449-78-0	≥98%	Meryer
	4-Thiophenyl Phenyl Diphenyl Sulfonium Hexafluoroantimonate			
M70247	2, 3, 4, 4'-四羟基二苯甲酮	31127-54-5	≥98%	Meryer
	2, 3, 4, 4'-Tetrahydroxybenzophenone			
M70893	三苯基硫三氟甲烷磺酸盐	66003-78-9	NULL	Meryer
	Triphenylsulfonium triflate			
M70895	全氟丁基磺酸三苯基铈盐	144317-44-2	≥99%	Meryer
	Triphenylsulfonium perfluoro-1-butanefluoroborate			
M70993	三苯基氯化硫鎓盐	4270-70-6	95%	Meryer
	Triphenylsulfonium Chloride			
M54841	双(4-叔丁基苯基)碘鎓六氟磷酸盐, 98%	61358-25-6	98%	Meryer
	Bis(4-tert-butylphenyl)iodonium hexafluorophosphate, 98%			
M35200	二苯基碘鎓三氟甲磺酸盐, 98%	66003-76-7	98%	Meryer
	Diphenyliodonium triflate, 98%			
M24386	二苯基碘鎓硝酸盐, 97%	722-56-5	98%	Meryer
	Diphenyliodonium nitrate, 97%			
M20389	六氟磷酸二苯基碘鎓盐, 98%	58109-40-3	97%	Meryer
	Diphenyliodonium hexafluorophosphate, 98%			
TCI-B3633	2-(1,3-苯并二氧杂环戊-5-基)-4,6-双(三氯甲基)-1,3,5-三嗪	71255-78-2	98.0%	TCI
	2-(1,3-Benzodioxol-5-yl)-4,6-bis(trichloromethyl)-1,3,5-triazine			
TCI-D2285	4-重氮-3-甲氧基二苯胺硫酸盐	36305-05-2	96.0%	TCI
	4-Diazo-3-methoxydiphenylamine Sulfate			
TCI-D2356	氯代二苯碘鎓	1483-72-3	98.0%	TCI
	Diphenyliodonium Chloride			
TCI-D2503	二苯基碘鎓-2-羧酸内盐一水合物	96195-89-0	98.0%	TCI
	Diphenyliodonium-2-carboxylate Monohydrate			
TCI-D2963	2-(3,4-二甲氧基苯乙烯基)-4,6-双(三氯甲基)-1,3,5-三嗪	42880-07-9	98.0%	TCI
	2-(3,4-Dimethoxystyryl)-4,6-bis(trichloromethyl)-1,3,5-triazine			
TCI-H1136	N-羟基萘酰亚胺三氟甲磺酸酯	85342-62-7	98.0%	TCI
	N-Hydroxynaphthalimide Trifluoromethanesulfonate			
TCI-M1245	2-(4-甲氧苯基)-4,6-双(三氯甲基)-1,3,5-三嗪	3584-23-4	98.0%	TCI
	2-(4-Methoxyphenyl)-4,6-bis(trichloromethyl)-1,3,5-triazine			

TCI-M2140	2-(4- 甲氧基苯乙烯基)-4,6-双(三氯甲基)-1,3,5-三嗪	42573-57-9	98.0%	TCI
	2-(4-Methoxystyryl)-4,6-bis(trichloromethyl)-1,3,5-triazine			
TCI-T0996	2,3,4-三羟基二苯甲酮	1143-72-2	98.0%	TCI
	2,3,4-Trihydroxybenzophenone			
TCI-T1428	α,α,α' -三(4-羟基苯基)-1-乙基-4-异丙苯	110726-28-8	98.0%	TCI
	alpha,alpha,alpha'-Tris(4-hydroxyphenyl)-1-ethyl-4-isopropylbenzene			
TCI-T1594	2,3,4,4'-四羟基二苯甲酮	31127-54-5	98.0%	TCI
	2,3,4,4'-Tetrahydroxybenzophenone			
添加剂				
M34145	3-(2,3-环氧丙氧)丙基三甲氧基硅烷	2530-83-8	98%	Meryer
	(3-Glycidyloxypropyl)trimethoxysilane			
M05623	铜铁试剂	135-20-6	98%	Meryer
	Cupferron			
M73231	γ -缩水甘油醚氧丙基三甲氧基硅烷	2530-83-8	97%	Meryer
	3-Glycidyloxypropyltrimethoxysilane			
C51114	三正辛胺 , 97%	1116-76-3	93%	Meryer
	Tri-n-octylamine, 97%			
M33229	邻苯三酚 , 99%	87-66-1	97%	Meryer
	Pyrogallol, 99%			
M03754	三异丙醇胺 , 99%, 异构体混合物	122-20-3	95%	Meryer
	Triisopropanolamine, 99%, mixture of isomers			
M39629	正十六烷基三甲基氢氧化铵 , 25% 甲醇溶液, 水分: $\leq 5\%$	505-86-2	10 wt.% in H2O	Meryer
	Hexadecyltrimethylammonium hydroxide, 25% in methanol,water: $\leq 5\%$			
M02726	4-羟基二苯甲酮 , 99%	1137-42-4	98%	Meryer
	4-Hydroxybenzophenone, 99%			
M11393	二乙二醇二甲基丙烯酸酯 , 95%	2358-84-1	96%	Meryer
	Di(ethylene glycol) dimethacrylate, 95%			
M27739	氨基甲酸(9-芴基甲基)酯 , 98%	84418-43-9	99%	Meryer
	9-Fluorenylmethyl carbamate, 98%			
B64267	4-二甲氨基苯甲酸乙酯 , 98%	10287-53-3	98%	Meryer
	Ethyl 4-dimethylaminobenzoate, 98%			
M25531	四甲基氢氧化铵 , 25% 水溶液	75-59-2	25%水溶液	Meryer
	Tetramethylammonium hydroxide, 25% solution in H2O			
M14078	三羟甲基丙烷三甲基丙烯酸酯 , 90%	3290-92-4	90%,含 250ppm MEHQ 稳定剂	Meryer
	Trimethylolpropane trimethacrylate, 90%			

M37590	羟丙基丙烯酸酯，96%，丙烯酸-2-羟丙酯和丙烯酸-2-羟基-1-甲乙酯的混合物	25584-83-2	95%,mixture of isomers	Meryer
	Hydroxypropyl acrylate, 96%, mixture of 2-Hydroxypropyl and 2-Hydroxy-1-methylethyl acrylate			
M03999	乙酸正丁酯，99%	123-86-4	99%	Meryer
	Butyl acetate, 99%			
M01661	4-甲基-2-戊酮，99%，HPLC 级	108-10-1	99%	Meryer
	4-Methyl-2-pentanone, 99%, HPLC grade			
GEL-SIG5840.0	3-(2,3-环氧丙氧)丙基三甲氧基硅烷	2530-83-8	97%	Gelest
	(3-GLYCIDOXYPROPYL)TRIMETHOXYSILANE			
GEL-SIT8717.0	三(3-三甲氧基硅基丙基)异氰脲酸酯, 技术级 95%	26115-70-8	95%	Gelest
	TRIS(3-TRIMETHOXYSILYLPROPYL)ISOCYANURATE, tech-95			
GEL-SIG5840.1	3-(2,3-环氧丙氧)丙基三甲氧基硅烷，99%	2530-83-8	99+%	Gelest
	(3-GLYCIDOXYPROPYL)TRIMETHOXYSILANE, 99+%			
TCI-C0646	铜铁试剂	135-20-6	98.0%	TCI
	Cupferron			
TCI-G0210	3-缩水甘油醚氧基丙基三甲氧基硅烷	2530-83-8	97.0%	TCI
	3-Glycidyloxypropyltrimethoxysilane			
TCI-I0602	异氰脲酸三[3-(三甲氧基硅烷基)丙基]酯	26115-70-8	95.0%	TCI
	Tris[3-(trimethoxysilyl)propyl] Isocyanurate			
TCI-T0949	三羟甲基丙烷 三丙烯酸脂，85%，含稳定剂：MEHQ	15625-89-5	75.0%	TCI
	Trimethylolpropane triacrylate, 85%, stabilized with MEHQ			
底部抗反射涂层材料				
M06836	9-蒽醇	1468-95-7	98%	Meryer
	9-Anthracenemethanol			
M24398	9-蒽甲酸	723-62-6	98%	Meryer
	9-Anthracenecarboxylic acid			
TCI-A0690	9-蒽羧酸	723-62-6	97.0%	TCI
	9-Anthracenecarboxylic Acid			
TCI-A2645	甲基丙烯酸 9-蒽基甲酯	31645-35-9	98.0%	TCI
	9-Anthrylmethyl Methacrylate			
TCI-A3299	9-蒽甲酸(升华提纯)	723-62-6	99.0%	TCI
	9-Anthracenecarboxylic Acid(purified by sublimation)			
TCI-H0670	9-(羟甲基)蒽	1468-95-7	98.0%	TCI
	9-(Hydroxymethyl)anthracene			

光刻胶单体

B70016	1,3-金刚烷二醇	5001-18-3	98%	Meryer
	1,3-Adamantanediol			
C10016	3-(异丁烯酰氧)丙基三甲氧基硅烷	2530-85-0	98%	Meryer
	3-Methacryloxypropyltrimethoxysilane,98%			
C30140	甲基丙烯酸三氟乙酯	352-87-4	99%	Meryer
	2,2,2-Trifluoroethyl methacrylate			
M01436	甲基丙烯酸缩水甘油酯	106-91-2	97%,含 100ppmMEHQ 稳定剂	Meryer
	Glycidyl methacrylate			
M06789	1-甲基环戊醇	1462-03-9	98%	Meryer
	1-Methylcyclopentanol			
M08196	联苯二氯苄	1667-10-3	96%	Meryer
	4,4'-Bis(chloromethyl)biphenyl			
M11865	甲基丙烯酸苄基酯	2495-37-6	98%,含 50-100ppmME HQ 稳定剂	Meryer
	Benzyl methacrylate			
M12369	4-乙酰氧基苯乙烯	2628-16-2	97%	Meryer
	4-Acetoxystyrene			
M14637	甲基丙烯酸二环戊基酯	34759-34-7	95%	Meryer
	Dicyclopentanyl Methacrylate			
M14858	甲基丙烯酸三氟乙酯	352-87-4	包含 100 ppm MEHQ 稳定 剂,98%	Meryer
	2,2,2-Trifluoroethyl methacrylate			
M18749	1-羟基茚	5315-79-7	98%	Meryer
	1-Hydroxypyrene			
M20644	1-甲基环己醇	590-67-0	96%	Meryer
	1-Methylcyclohexanol			
M25727	3-乙氧基丙酸乙酯	763-69-9	98%,含 50 - 100 ppm BHT 稳定 剂	Meryer
	3-Ethoxypropionic Acid Ethyl Ester			
M27304	二环戊二烯环氧化物	81-21-0	97%	Meryer
	Dicyclopentadiene diepoxide			
M35053	4-乙烯基苯酚,10%丙二醇溶液	2628-17-3	95%	Meryer
	4-Vinylphenol, 10 wt.% In propylene glycol			
M37246	1,3,5-三(2-羟基乙基)氰尿酸	839-90-7	98%	Meryer
	Tris(2-hydroxyethyl) Isocyanurate			
M39316	1,3,4,6-四(甲氧甲基)苕脲	17464-88-9	99%	Meryer
	1,3,4,6-Tetrakis(methoxymethyl)glycoluril			
M39794	4,4'-联苯二甲醛	66-98-8	97%	Meryer
	4,4'-Biphenyldicarboxaldehyde			
M40484	2-(溴甲基)丙烯酸甲酯	4224-69-5	98%	Meryer
	Methyl 2-(bromomethyl)acrylate			

M54216	1-丙烯酸金刚烷酯	121601-93-2	99%	Meryer
	1-Adamantylacrylate			
M54250	3-丙烯酰氧基丙基甲基二甲氧基硅烷	13732-00-8	98%	Meryer
	3-Acryloxypropyl Methyl Dimethoxysilane			
M54296	2-氨基乙基甲基丙烯酸酯盐酸盐	2420-94-2	90%	Meryer
	2-Aminoethyl methacrylate hydrochloride			
M54824	9,9-二[(2,3-环氧丙氧基)苯基]芴	47758-37-2	99%	Meryer
	9,9-BIS[4-(2-GLYCIDYLOXYETHYL)PHENYL]FLUORENE			
M57785	2-乙基-2-甲基丙烯酰氧基金刚烷(含稳定剂甲氧基氢醌)	209982-56-9	97%(GC)	Meryer
	2-Ethyl-2-methacryloyloxyadamantane (stabilized with MEHQ)			
M57844	甲基丙烯酸 1-乙基环戊酯	266308-58-1	98%,含稳定剂 MEHQ	Meryer
	1-Ethylcyclopentyl Methacrylate			
M58220	1,1,1,3,3,3-六氟异丙基异丁烯酸酯	3063-94-3	99 %	Meryer
	1,1,1,3,3,3-Hexafluoroisopropyl methacrylate			
M58369	甲基丙烯酸 2,2,3,3,4,4,4-七氟丁酯 (含稳定剂 MEHQ)	13695-31-3	98%(GC)	Meryer
	2,2,3,3,4,4,4-Heptafluorobutyl Methacrylate (stabilized with MEHQ)			
M59691	N-异丙基甲基丙烯酰胺	13749-61-6	97%	Meryer
	N-Isopropylmethacrylamide			
M59968	N-(甲氧基甲基)甲基丙烯酰胺	3644-12-0	85%,含有稳定剂 MEHQ	Meryer
	N-(Methoxymethyl)methacrylamide			
M60174	甲基丙烯酸 2-氧代六氢-2H-3,5-亚甲基环戊并[b]呋喃-6-基酯	254900-07-7	98%	Meryer
	2-Oxohexahydro-2H-3,5-methanocyclopenta[b]furan-6-yl Methacrylate			
M61414	对甲苯磺酸	104-15-4	99%	Meryer
	p-Toluenesulfonic acid			
M62011	2-乙烯基萘	827-54-3	97%	Meryer
	2-Vinylnaphthalene			
M62036	甲基丙烯酸乙酯	4245-37-8	98%(GC)	Meryer
	Vinyl Methacrylate			
M62303	1-丙烯酰氧基-3-羟基金刚烷	216581-76-9	>98.0%(GC)	Meryer
	1-Acryloyloxy-3-hydroxyadamantane			
M68712	4-异丙烯基苯酚	4286-23-1	97%	Meryer
	4-(Prop-1-en-2-yl)phenol			
M72856	1-乙基环己醇	1940-18-7	≥98%(GC)	Meryer
	1-Ethylcyclohexanol			
M73451	2-异丙基-2-甲基丙烯酰氧基金刚烷	297156-50-4	≥98%(GC)	Meryer
	2-Isopropyl-2-methacryloyloxyadamantane			

M74364	1, 3-金刚烷二醇	5001-18-3	99%	Meryer
	1, 3-Adamantanediol			
M74872	1-甲基环己醇	590-67-0	99%	Meryer
	1-Methylcyclohexanol			
M32448	N-羟基-5-降冰片烯-2,3-二甲酰亚胺	21715-90-2	98%	Meryer
	N-Hydroxy-5-norbornene-2,3-dicarboximide, 98%			
M12026	聚(丙二醇)	25322-69-4	平均分子量 2000	Meryer
	Poly(propylene glycol), average M.W. 425			
M08766	1H,1H,2H,2H-全氟辛基 丙烯酸酯	17527-29-6	97%,含 100ppm TBC 稳定剂	Meryer
	1H,1H,2H,2H-Perfluorooctyl acrylate, 95%			
M15538	2-(三氟甲基)丙烯酸	381-98-6	98%	Meryer
	2-(Trifluoromethyl)acrylic acid, 98%			
M04245	O-(-5-降冰片烯-2,3-二甲酰亚胺)-N,N,N',N'-四 甲基脲四氟硼酸盐	125700-73-4	98%	Meryer
	O-(5-Norbornene-2,3-dicarboximido)-N,N,N',N' '-tetramethyluronium tetrafluoroborate, 98%			
H54013	甲基丙烯酸异冰片酯	7534-94-3	98%	Meryer
	Isobornyl methacrylate, 90%, stabilized with MEHQ			
M38149	双环[2.2.1]庚-2,5-二烯	121-46-0	98%	Meryer
	Bicyclo[2.2.1]hepta-2,5-diene, 97%, stabilized with 0.05 - 0.25% BHT			
M15123	2,2,3,4,4,4-六氟丁基 甲基丙烯酸酯	36405-47-7	96%,含 30 - 70 ppm MEHQ 稳 定剂	Meryer
	2,2,3,4,4,4-Hexafluorobutyl methacrylate, 98%			
M38922	氯菌酸酐	115-27-5	95%	Meryer
	Chlorendic anhydride, 96%			
M04535	顺-5-降冰片烯-内型-2,3-二羧酸酐	129-64-6	95%	Meryer
	cis-5-Norbornene-endo-2,3-dicarboxylic anhydride, 97%			
M61961	2,2,2-三氟乙基丙烯酸酯	407-47-6	98%,含稳定剂 MEHQ	Meryer
	2,2,2-Trifluoroethyl acrylate, 98%, stabilized with 200 ppm MEHQ			
M62243	1,3-金刚烷二羧酸	39269-10-8	97%	Meryer
	1,3-Adamantanedicarboxylic acid, 97%			
M37589	丙烯酸异冰片酯	5888-33-5	98%	Meryer
	Isobornyl acrylate, 93%, stabilized with 200 - 400 ppm MEHQ			
M32448	N-羟基-5-降冰片烯-2,3-二甲酰亚胺	21715-90-2	98%	Meryer
	N-Hydroxy-5-norbornene-2,3-dicarboximide, 98%			

M12026	聚(丙二醇), 平均分子量 425	25322-69-4	平均分子量 2000	Meryer
	Poly(propylene glycol), average M.W. 425			
M08766	1H,1H,2H,2H-全氟辛基 丙烯酸酯	17527-29-6	97%,含 100ppm TBC 稳定剂	Meryer
	1H,1H,2H,2H-Perfluorooctyl acrylate, 95%			
M15538	2-(三氟甲基)丙烯酸	381-98-6	98%	Meryer
	2-(Trifluoromethyl)acrylic acid, 98%			
M04245	O-(-5-降冰片烯-2,3-二甲酰亚胺)-N,N,N',N'-四 甲基脲四氟硼酸盐	125700-73-4	98%	Meryer
	O-(5-Norbornene-2,3-dicarboximido)-N,N,N',N' '-tetramethyluronium tetrafluoroborate, 98%			
H54013	甲基丙烯酸异冰片酯	7534-94-3	98%	Meryer
	Isobornyl methacrylate, 90%, stabilized with MEHQ			
M38149	双环[2.2.1]庚-2,5-二烯	121-46-0	98%	Meryer
	Bicyclo[2.2.1]hepta-2,5-diene, 97%, stabilized with 0.05 - 0.25% BHT			
M15123	2,2,3,4,4,4-六氟丁基 甲基丙烯酸酯	36405-47-7	96%,含 30 - 70 ppm MEHQ 稳 定剂	Meryer
	2,2,3,4,4,4-Hexafluorobutyl methacrylate, 98%			
M38922	氯菌酸酐	115-27-5	95%	Meryer
	Chlorendic anhydride, 96%			
M04535	顺-5-降冰片烯-内型-2,3-二羧酸酐	129-64-6	95%	Meryer
	cis-5-Norbornene-endo-2,3-dicarboxylic anhydride, 97%			
M61961	2,2,2-三氟乙基丙烯酸酯	407-47-6	98%,含稳定剂 MEHQ	Meryer
	2,2,2-Trifluoroethyl acrylate, 98%, stabilized with 200 ppm MEHQ			
M60571	2,2,3,3,3-甲基丙烯酸五氟丙酯	45115-53-5	98%,含稳定剂 TBC	Meryer
	2,2,3,3,3-Pentafluoropropyl methacrylate			
GEL-SIM6487.4	3-(甲基丙烯酰氧)丙基三甲氧基硅烷	2530-85-0	97%	Gelest
	METHACRYLOXYPROPYLTRIMETHOXYSILANE			
GEL-SIA0198.0	2-丙烯酸 3-(二乙氧基甲基甲硅烷基)丙基酯	13732-00-8	95%	Gelest
	(3-ACRYLOXYPROPYL)METHYLDIMETHOXYSILA NE, 95%			
GEL-SIM6487.4 LI	3-(甲基丙烯酰氧)丙基三甲氧基硅烷, 少量抑制 剂	2530-85-0	97%	Gelest
	METHACRYLOXYPROPYLTRIMETHOXYSILANE, low inhibitor grade			
GEL-SIM6476.0	3-巯基丙基三甲氧基硅烷	4420-74-0	97%	Gelest
	3-Mercaptopropyltrimethoxysilane, 97%			
GEL-SID4120.1	二甲基二氯硅烷	75-78-5	99+% (海运)	Gelest
	Dichlorodimethylsilane, 99.3%			

GEL-SIO6715.0	正辛基三乙氧基硅烷	2943-75-1	98%	Gelest
	n-Octyltriethoxysilane, 97%			
GEL-SIM6476.0	3-巯基丙基三甲氧基硅烷	4420-74-0	97%	Gelest
	3-Mercaptopropyltrimethoxysilane, 97%			
GEL-SID4120.1	二甲基二氯硅烷	75-78-5	99+% (海运)	Gelest
	Dichlorodimethylsilane, 99.3%			
GEL-SIO6715.0	正辛基三乙氧基硅烷	2943-75-1	98%	Gelest
	n-Octyltriethoxysilane, 97%			
TCI-M0279	甲基丙烯酸苄酯	2495-37-6	98.0%	TCI
	Benzyl Methacrylate(stabilized with MEHQ)			
TCI-A1531	1,3-金刚烷二醇	5001-18-3	98.0%	TCI
	1,3-Adamantanediol			
TCI-A1550	乙酸-2-乙烯基苯基酯(含稳定剂吩噻嗪)	63600-35-1	93.0%	TCI
	2-Vinylphenyl Acetate (stabilized with Phenothiazine)			
TCI-A1551	乙酸-4-乙烯基苯基酯(含稳定剂 TBC)	2628-16-2	98.0%	TCI
	4-Vinylphenyl Acetate(stabilized with TBC)			
TCI-A1735	丙烯酸金刚烷-1-基酯(含稳定剂 BHT)	121601-93-2	98.0%	TCI
	Adamantan-1-yl Acrylate(stabilized with BHT)			
TCI-A2859	1-丙烯酰氧基-3-羟基金刚烷	216581-76-9	98.0%	TCI
	1-Acryloyloxy-3-hydroxyadamantane			
TCI-A3413	甲基丙烯酸 2-氨基乙酯盐酸盐	2420-94-2	98.0%	TCI
	2-Aminoethyl Methacrylate Hydrochloride			
TCI-B1443	4-叔丁氧基苯乙烯(含稳定剂 TBC)	95418-58-9	98%	TCI
	4-tert-Butoxystyrene(stabilized with TBC)			
TCI-B2099	4,4'-双(氯甲基)联苯	1667-10-3	95.0%	TCI
	4,4'-Bis(chloromethyl)biphenyl			
TCI-B2623	4,4'-联苯基二甲醇	1667-12-5	98.0%	TCI
	4,4'-Biphenyldimethanol			
TCI-B2854	4,4'-联苯基二甲醛	66-98-8	98.0%	TCI
	4,4'-Biphenyldicarboxaldehyde			
TCI-B4269	9,9-双(4-环氧丙基氧代苯基)芴	47758-37-2	98.0%	TCI
	9,9-Bis(4-glycidyloxyphenyl)fluorene			
TCI-C3642	甲基丙烯酸 2-环己基丙-2-基酯	186585-56-8	98.0%	TCI
	2-Cyclohexylpropan-2-yl Methacrylate (stabilized with Phenothiazine)			
TCI-D3380	丙烯酸二环戊基酯(含稳定剂 MEHQ)	7398-56-3	95.0%	TCI
	Dicyclopentanyl Acrylate (stabilized with MEHQ)			
TCI-D3381	二环戊基甲基丙烯酸酯	34759-34-7	95.0%	TCI
	Dicyclopentanyl Methacrylate(stabilized with MEHQ)			

TCI-D5556	丙烯酸 3-[二甲氧基(甲基)硅基]丙酯	13732-00-8	95.0%	TCI
	3-[Dimethoxy(methyl)silyl]propyl Acrylate(stabilized with MEHQ)			
TCI-E0319	3-乙氧基丙酸乙酯	763-69-9	99.0%	TCI
	Ethyl 3-Ethoxypropionate			
TCI-E0782	1-乙基环戊醇	1462-96-0	96.0%	TCI
	1-Ethylcyclopentanol			
TCI-E0909	2-乙基-2-甲基丙烯酰氧基金刚烷(含稳定剂甲氧基氢醌)	209982-56-9	97.0%	TCI
	2-Ethyl-2-methacryloyloxyadamantane (stabilized with MEHQ)			
TCI-E1136	1-乙基环己醇	1940-18-7	98.0%	TCI
	1-Ethylcyclohexanol			
TCI-E1388	甲基丙烯酸 1-乙基环戊酯	266308-58-1	98.0%	TCI
	1-Ethylcyclopentyl Methacrylate(stabilized with MEHQ)			
TCI-E1405	丙烯酸 1-乙基环戊酯	326925-69-3	95.0%	TCI
	1-Ethylcyclopentyl Acrylate(stabilized with MEHQ)			
TCI-E1407	甲基丙烯酸 1-乙基环己酯	274248-09-8	98.0%	TCI
	1-Ethylcyclohexyl Methacrylate(stabilized with MEHQ)			
TCI-E1441	1-(1-乙氧基乙氧基)-4-乙烯基苯(含稳定剂 TBC)	157057-20-0	98.0%	TCI
	1-(1-Ethoxyethoxy)-4-vinylbenzene(stabilized with TBC)			
TCI-H1435	1-羟基芘	5315-79-7	98.0%	TCI
	1-Hydroxypyrene			
TCI-H1674	甲基丙烯酸 2,2,3,3,4,4,4-七氟丁酯	13695-31-3	98.0%	TCI
	2,2,3,3,4,4,4-Heptafluorobutyl Methacrylate(stabilized with MEHQ)			
TCI-H1689	3-羟基-1-甲基丙烯酰氧基金刚烷	115372-36-6	99.0%	TCI
	3-Hydroxy-1-methacryloyloxyadamantane(purified by sublimation)			
TCI-I0962	2-异丙基-2-甲基丙烯酰氧基金刚烷	297156-50-4	98.0%	TCI
	2-Isopropyl-2-methacryloyloxyadamantane			
TCI-I1096	N-异丙基甲基丙烯酰胺	13749-61-6	98.0%	TCI
	N-Isopropylmethacrylamide			
TCI-M0328	1-甲基环己醇	590-67-0	97.0%	TCI
	1-Methylcyclohexanol			
TCI-M0590	甲基丙烯酸缩水甘油酯	106-91-2	95.0%	TCI
	Glycidyl Methacrylate(stabilized with MEHQ)			
TCI-M0720	甲基丙烯酸乙烯酯(含稳定剂 MEHQ)	4245-37-8	98.0%	TCI
	Vinyl Methacrylate (stabilized with MEHQ)			

TCI-M0725	甲基丙烯酸-3-(三甲氧基甲硅烷基)丙酯	2530-85-0	98.0%	TCI
	3-(Trimethoxysilyl)propyl Methacrylate(stabilized with BHT)			
TCI-M0729	1-甲基环戊醇	1462-03-9	98.0%	TCI
	1-Methylcyclopentanol			
TCI-M0738	甲基丙烯酸 2,2,2-三氟乙酯	352-87-4	98.0%	TCI
	2,2,2-Trifluoroethyl Methacrylate(stabilized with MEHQ)			
TCI-M0988	甲基丙烯酸 1,1,1,3,3,3-六氟异丙酯(含稳定剂 MEHQ)	3063-94-3	98.0%	TCI
	1,1,1,3,3,3-Hexafluoroisopropyl Methacrylate (stabilized with MEHQ)			
TCI-M1526	甲基丙烯酸 1-金刚烷酯	16887-36-8	98.0%	TCI
	1-Adamantyl Methacrylate(stabilized with MEHQ)			
TCI-M2067	2-(溴甲基)丙烯酸甲酯	4224-69-5	97.0%	TCI
	Methyl 2-(Bromomethyl)acrylate			
TCI-M2260	2-甲基丙烯酰氧基-2-甲基金刚烷	177080-67-0	97.0%	TCI
	2-Methacryloyloxy-2-methyladamantane(stabilized with MEHQ)			
TCI-M2478	N-(甲氧基甲基)甲基丙烯酰胺	3644-12-0	85.0%	TCI
	N-(Methoxymethyl)methacrylamide(stabilized with MEHQ)			
TCI-M3223	丙烯酸 2-甲基金刚烷-2-基酯	249562-06-9	98.0%	TCI
	2-Methyladamantan-2-yl Acrylate(stabilized with MEHQ)			
TCI-M3228	甲基丙烯酸 1-甲基环戊酯	178889-45-7	98.0%	TCI
	1-Methylcyclopentyl Methacrylate(stabilized with MEHQ)			
TCI-M3261	丙烯酸 1-甲基环戊酯	178889-49-1	98.0%	TCI
	1-Methylcyclopentyl Acrylate(stabilized with MEHQ)			
TCI-O0535	甲基丙烯酸 2-氧代四氢呋喃-3-基酯	195000-66-9	98.0%	TCI
	2-Oxotetrahydrofuran-3-yl Methacrylate(stabilized with BHT)			
TCI-O0536	甲基丙烯酸 2-氧代六氢-2H-3,5-亚甲基环戊并[b]呋喃-6-基酯	254900-07-7	98.0%	TCI
	2-Oxohexahydro-2H-3,5-methanocyclopenta[b]furan-6-yl Methacrylate			
TCI-O0538	甲基丙烯酸 5-氧代四氢呋喃-3-基酯	130224-95-2	97.0%	TCI
	5-Oxotetrahydrofuran-3-yl Methacrylate(stabilized with MEHQ)			

TCI-O0553	甲基丙烯酸(2-氧代-1,3-二氧戊环-4-基)甲酯	13818-44-5	98.0%	TCI
	(2-Oxo-1,3-dioxolan-4-yl)methyl Methacrylate(stabilized with MEHQ)			
TCI-T0674	三(2-羟乙基)异氰脲酸酯	839-90-7	98.0%	TCI
	Tris(2-hydroxyethyl) Isocyanurate			
TCI-T0675	三(2-羧乙基)异氰脲酸酯	2904-41-8	98.0%	TCI
	Tris(2-carboxyethyl) Isocyanurate			
TCI-T2058	1,3,4,6-四(甲氧甲基)甘脲	17464-88-9	98.0%	TCI
	1,3,4,6-Tetrakis(methoxymethyl)glycoluril			
TCI-T3799	1,3,4,6-四(丁氧基甲基)四氢-咪唑并[4,5-d]咪唑-2,5(1H,3H)-二酮	15968-37-3	97.0%	TCI
	1,3,4,6-Tetrakis(butoxymethyl)tetrahydroimidazo[4,5-d]imidazole-2,5(1H,3H)-dione			
TCI-O0481	1H,1H,5H-八氟戊基异丁烯酸酯	355-93-1	98.0%	TCI
	1H,1H,5H-Octafluoropentyl methacrylate, 98%			
TCI-O0481	1H,1H,5H-八氟戊基异丁烯酸酯	355-93-1	98.0%	TCI
	1H,1H,5H-Octafluoropentyl methacrylate, 98%			
TCI-B4267	双环[2.2.1]-5-庚烯-2-甲酸叔丁酯	154970-45-3	95.0%	TCI
	tert-Butyl Bicyclo[2.2.1]-5-heptene-2-carboxylate			

上海迈瑞尔生化科技有限公司

Meryer (Shanghai) Biochemical Technology Co., Ltd.

上海总部 SHANGHAI

上海闵行经济开发区江城路3636号 200245

Tel :+86- 21-61259100

Fax:+86- 21-61259102

E-mail: sh@meryer.com

北京分部 BEIJING

北京市朝阳区安慧里四区15号五矿大厦1408室 100101

Tel:+86-10-64670440

Fax:+86-10-88580358

Email:bj@meryer.com

深圳分部 SHENZHEN

深圳市南山区创业路现代城华庭4栋23A 518054

Tel :+86- 755-86170099

Fax:+86- 755-86170066

E-mail:sz@meryer.com

海外事业部 HONGKONG

Tel : +852-65159616

Fax: +852-30506896

E-mail:int04@meryer.com

免费热线: 400-635-6688

网址: www.meryer.com

更多资讯请关注我们的公众号

